## Registration Information Carbon Footprint of Products (CFP)



1. Pro	Product information					
1.1	Registration number	CR-DG02-20006-A	1.7 Product photo			
1.2	Registration name	ApeosPort-VI C5571 PFS-2TS				
1.3	Model name / number	ApeosPort-VI C5571 PFS-2TS				
1.4	Main specifications of product	Print speed (Color/Mono): 55ppm/55ppm (Letter) Maximum Paper size: SRA3(320.0×450.0mm) Capable of print/copy/scan/fax, duplex printing. Product Size: 642(W)x723(D)x970(H) (mm) Product weight: 119kg				
1.5	CFP quantification unit	Per unit product	u.			
1.6	CFP release date	February 10th, 2020	(4)			

2. Cor	2. Company Information					
2.1	Company name (in English)	FUJIFILM Business Innovation Corp.				
2.2	Phone number (incl. area code)	+81-3-6271-5111				

3.1 CFP quantification results, and description of CFP declration  3.1 CFP quantification results  Breakdown (by life cycle stage, by process, by flow, etc.)  Raw material acquisition stage  Production stage  20 kg-CO <sub>2</sub> e  Production stage  24 kg-CO <sub>2</sub> e  Use & maintenance stage  Disposal & recycling stage  Value in CFP mark and description of additional info.  *Numerial value>  Value in CFP mark  1,200kg  Per unit product  *Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance.	
Raw material acquisition stage  Production stage  20 kg-CO <sub>2</sub> e  Use & maintenance stage  Disposal & recycling stage  Value in CFP mark  1,200kg  *Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area *Electric power in the use and maintenance stage is evaluated with the public opower-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets. *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper. *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance	
Stage   760   Rg-CO2e	
3.2 Distribution stage  24 kg-CO <sub>2</sub> e  Use & maintenance stage  310 kg-CO <sub>2</sub> e  Disposal & recycling stage  44 kg-CO <sub>2</sub> e  Value in CFP mark and description of additional info.     Value in CFP mark   Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance.	
Distribution stage  Use & maintenance stage  Disposal & recycling stage  Value in CFP mark and description of additional info.    Value in CFP mark   Value in CFP mark	
Disposal & recycling stage  Value in CFP mark and description of additional info.  Value in CFP mark  *Numerial value>	
Value in CFP mark and description of additional info.  Value in CFP mark 1,200kg Per unit product *Calculated by the standard Scenario for MFP (EP type). *Calculated on the basic configuration. *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan. *Print volume is assumed 451,200 sheets. *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper. *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance.	
Value in CFP mark  1,200kg  *Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area  *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance.	
*Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area  *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance	
*Calculated by the standard Scenario for MFP (EP type).  *Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area  *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance	
*Calculated on the basic configuration.  *CO <sub>2</sub> emission in the distribution stage assumes Japan as the main sales area  *Electric power in the use and maintenance stage is evaluated with the public of power-consumption-rate in Japan.  *Print volume is assumed 451,200 sheets.  *In this scenario, the CO <sub>2</sub> emissions from copy papers are estimated 3,500 kg-4.0g per A4 paper.  *The CO <sub>2</sub> emission of printing paper is excluded from the use and maintenance.	
*Electric power in the use stage is evaluated based on TEC value which is measured accordance with International ENERGY STAR Program version 3.0.  Use & maintenance stage	electric- CO <sub>2</sub> e at
Distribution stage  26%  Raw material acquisition s 66%  Production stage 2%	age
3.4 Remarks	

4. Inte	4. Interpretation of CFP quantification results					
4.1	Interpretation of CFP	CO2 emission in use and maintenance stage is the largest as 66%. It is important to reduce size and weight.  The use condition in this scenario can be different from the use condition of the user.  A choice of the use condition (print mode, print conditions and so on) can reduce the CO2 emission during product usage.  For example, 76kg-CO2e of the CO2 emissions (approximately 6.5%) can be reduced if 2-in-1 print is applied to 225,600 sheets (50% of the estimated total print volume).  Primary data is used in the raw material consumption. Secondary data is used in the parts manufacturing process which might not be reflected our own circumstances because it is difficult to collect the data for thousands of the parts. Please understand this result as the rough estimate according to the reason mentioned above.				

ľ	5. Conditions of quantification					
	5.1	Name of approved CFP-PCR	Imaging input and/or output equipment	5.2	Approved CFP-PCR ID	PA-DG-02
	5.3	Assumptions of secondary data used	Basic secondary data v.1.01 is preferertially used. Available secondary data (domestic country v.1.04, foreign country v.1.0) is used if the items don't correspond to basic data v.1.01.			

6. Ver	6. Verification information				
6.1	Verification method	CFP system certification	6.2	CFP system certification No.	SCN16001
6.3	Verification ID	FX-2019-002	6.4	Completion date of verification	January 24th, 2020

7. Pro	7. Program information				
7.1	Program name	Carbon Footprint Communication Program	7.2	Web site	http://www.cfp-japan.jp/
7.3	Program operator	Sustainable ManagementPromotion Organization(SuMPO)	7.4	Annress	2-1, Kajicho 2-chome, Chiyoda-ku, Tokyo 101-0044

8	Remarks	Revised on April 1st, 2021: Implemented the company name change.
---	---------	--

For secondary data, please refer to the information on the following CFP website. http://www.cfp-japan.jp/calculate/verify/data.html