Registration Information Carbon Footprint of Products (CFP)



1. Proc	1. Product information							
1.1	Registration number	CR-DG01-16067	1.7 Product photo					
1.2	Registration name	Dell Color Smart Multifunction Printer S3845cdn						
1.3	Model name / number	Dell Color Smart Multifunction Printer S3845cdn						
1.4	4 Main specifications of product Print speed (Color/Mono): 35ppm/35ppm Paper size: A4 Capable of duplex printing, facsimile and so Product Size: 442(W)x538(D)x599(H) (mm) Product weight: 33kg							
1.5	CFP quantification unit	Per unit product						
1.6	CFP release date	November 29th, 2016						

2. Company Information					
2.1	Company name (in English)	Fuji Xerox Co., Ltd.			
2.2	Phone number (incl. area code)	+81-3-6271-5111			

3. CFF	3. CFP quantification results, and description of CFP declration					
3.1	CFP quantification results	2,400	kg-CO2e			
	Breakdown (by life cycle stage, by process, by flow, etc.)					
	Raw material acquisition stage	260	kg-CO ₂ e			
3.2	Production stage	4.9	kg-CO ₂ e			
5.2	Distribution stage	49	kg-CO ₂ e			
	Use & maintenance stage	2,000	kg-CO ₂ e			
	Disposal & recycling stage	66	kg-CO ₂ e			
	Value in CFP mark and d	escription of additional info.				
		<numerial value=""></numerial>	<unit for="" the="" value=""></unit>			
	Value in CFP mark	2,400kg	per unit product			
3.3	Description of additional info.	*Electric power in the use and mai power-consumption-rate in the Un *Print volume is assumed 735,000 *In this scenario, the CO2 emissio g per A4 paper.	stage assumes the United States as the main sales area. intenance stage is evaluated with the public electric- ited States.			
3.4	Remarks					

4. Interpretation of CFP quantification results					
		CO2 emission in use and maintenance stage is the largest as 84%. It is important			
		to save energy during product usage.			
		The use condition in this scenario can be different from the use condition of the user.			
	Interpretation of CFP quantification results	A choice of the use condition (print mode, print conditions and so on) can reduce the CO2 emission during product usage.			
4.1		For example, 510kg-CO2e of the CO2 emissions (approximately 21%) can be reduced			
		if 2-in-1 print is applied to 367,500sheets (50% of print volume).			
		Primary data is used in the raw material consumption. Secondary data is used in the parts manufacturing process which might not be reflected our own circumstances because it is difficult to collect the data for thousands of the parts. Please understand this result as the rough estimate according to the reason mentioned above.			

5. Cor	5. Conditions of quantification					
5.1	Name of approved CFP-PCR	Imaging input and/or output equipment	5.2	Approved CFP-PCR ID	PA-DG-01	
5.3	Assumptions of	Basic secondary data v.1.01 is preferentially used. Available secondary data (country v.1.04, foreign country v.1.01) is used if the items don't correspond to basic data v.1.01.				

	6. Verification information						
	6.1	Verification method	Product-by-product	6.2	CFP system certification No.	_	
ľ	6.3	Verification ID	CV-DG01-16067	6.4	Completion date of verification	November 16th, 2016	

7. Program information						
7.1	Program name	Carbon Footprint Communication Program	7.2	Web site	<u>http://www.cfp-japan.jp/</u>	
7.3	Program operator	Japan Environmental Management Association for Industry (JEMAI)	7.4	Address	2-1, Kajicho 2-chome, Chiyoda-ku, Tokyo 101-0044	

8 Remarks -

For secondary data, please refer to the information on the following CFP website. http://www.cfp-japan.jp/calculate/verify/data.html