


Registration Information

Carbon Footprint of Products (CFP)




| 1. Product information | | | |
|------------------------|--------------------------------|---|---|
| 1.1 | Registration number | CR-DG02-19033 | <div style="text-align: right;">1.7 Product photo</div>  <div style="text-align: right;">2 Additional Paper Cassettes is excluded.</div> |
| 1.2 | Registration name | Canon Multifunction Inkjet Device WG7250Z | |
| 1.3 | Model name / number | Canon Multifunction Inkjet Device WG7250Z | |
| 1.4 | Main specifications of product | Multifunction Copiers Black/Color: Up to 50PPM (High speed mode 80PPM) Max. Document Size: A3 560mm(W) × 590mm(D) × 880mm(H) Product weight: Approximately 82.5kg | |
| 1.5 | CFP quantification unit | Per unit product | |
| 1.6 | CFP release date | 10/2/2019 | |

| 2. Company Information | | |
|------------------------|--------------------------------|-----------------|
| 2.1 | Company name (in English) | Canon Inc. |
| 2.2 | Phone number (incl. area code) | +81-3-3758-2111 |

| 3. CFP quantification results, and contents of CFP declaration | | | |
|--|--|-------|---|
| 3.1 | CFP quantification results | 1,400 | kg-CO ₂ e (CFP quantification results can be slightly different from sum of the following breakdown for rounding of fractions.) |
| 3.2 | Breakdown (by life cycle stage, by process, by flow, etc.) | | |
| | Raw material acquisition stage | 690 | kg-CO ₂ e |
| | Production stage | 78 | kg-CO ₂ e |
| | Distribution stage | 19 | kg-CO ₂ e |
| | Use & maintenance stage | 520 | kg-CO ₂ e |
| | Disposal & recycling stage | 98 | kg-CO ₂ e |

| Value and description of additional info. | | |
|---|------------------------------|---|
| Value to be stated on the mark | <Numerical value> | <Value on CFP mark> |
| | 1,400 kg | Per unit product |
| 3.3 | Contents of additional info. | <ul style="list-style-type: none"> • This number does not include paper factor. • The destination is calculated as USA. • In the production and in the disposal, recycling stage where product types are set in PCR, the load-factor calculations are performed according to the scenarios of printers and multifunction machines (IJ method). • Regarding the usage and maintenance stage, the load was calculated according to the scenario as below. <ul style="list-style-type: none"> - Print mode: High-speed mode - Operating conditions: TEC measurement conditions (Based on Energy Star Ver.3.0) - Power consumption per sheet: Calculated by setting the number of printed sheets per week specified in Energy Star Ver.3.0 to 1/4 - Lifetime-printing: 100,000 sheets - Lifetime power consumption : Lifetime power consumption [kWh] = Power consumption per sheet [kWh / sheet] * Lifetime printing number [sheet] - Conditions other than the above follow the printer and MFP (IJ method) scenarios. |
| 3.4 | Remarks | — |



| 4. Interpretation of CFP quantification results | | |
|---|--|---|
| 4.1 | Interpretation of CFP quantification results | <ul style="list-style-type: none"> • CO2 emission in raw material acquisition stage is the largest as 49%. It can be said that the miniaturization of the product and the use of the low negative environmental impact material are the important factors for the CO2 exhaust amount reduction. • These elements become the disposal that has increased thirdly and reduction in the amount of the CO2 exhaust at the recycling stage. • The amount of the CO2 exhaust at use and the maintenance stage is 37% and the 2nd. It is important to save energy during product usage and to make the life time of consumables longer. • We evaluated the CFP with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for all parts. <p>As such, please be advised that this result would be a rough estimate.</p> |

| 5. Conditions of quantification | | | | | |
|---------------------------------|------------------------------------|---|-----|---------------------|----------|
| 5.1 | Name of approved CFP-PCR | Imaging input and/or output equipment | 5.2 | Approved CFP-PCR ID | PA-DG-02 |
| 5.3 | Assumptions of secondary data used | Basic secondary data v.1.01 is preferentially used. Available secondary data v.1.01 is used if the items don't correspond to basic data v.1.04. | | | |

| 6. Verification information | | | | | |
|-----------------------------|---------------------|--------------------------|-----|---------------------------------|-----------|
| 6.1 | Verification method | CFP System certification | 6.2 | CFP system certification No. | SCN14002 |
| 6.3 | Verification ID | CV-DG02-19033 | 6.4 | Completion date of verification | 9/24/2019 |

| 7. Program information | | | | | |
|------------------------|------------------|---|-----|----------|---|
| 7.1 | Program name | Carbon Footprint Communication Program | 7.2 | Web site | http://www.cfp-japan.jp/ |
| 7.3 | Program operator | Japan Environmental Management Association for Industry (JEMAI) | 7.4 | Address | 2-1, Kajicho 2-chome, Chiyoda-ku, Tokyo 101-0044 |

| | | | | | |
|---|---------|---|--|--|--|
| 8 | Remarks | — | | | |
|---|---------|---|--|--|--|

(*) For secondary data, refer to the following page on the CFP website.
<http://www.cfp-japan.jp/calculate/verify/data.html>